


**Prvky pro prefabrikaci PHILIPP****Závitová pouzdra - pozinkovaná**

označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
71HM12	5	Rd 12	40	2,0	100
71HM14	8	Rd 14	47	4,0	100
71HM16	12	Rd 16	54	6,0	100
71HM18	16	Rd 18	65	10,5	100
71HM20	20	Rd 20	69	14,5	100
71HM24	25	Rd 24	78	19,0	100
71HM30	40	Rd 30	103	42,0	50
71HM36	63	Rd 36	125	71,0	25
71HM42	80	Rd 42	145	104,0	20
71HM52	125	Rd 52	195	235,0	10


**Závitová pouzdra - ušlechtilá ocel**

označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
77HM12VA	5	Rd 12	40	2,0	100
77HM14VA	8	Rd 14	47	4,0	100
77HM16VA	12	Rd 16	54	6,0	100
77HM18VA	16	Rd 18	65	10,5	100
77HM20VA	20	Rd 20	69	14,5	100
77HM24VA	25	Rd 24	78	19,0	100
77HM30VA	40	Rd 30	103	42,0	50
77HM36VA	63	Rd 36	125	71,0	25
77HM42VA	80	Rd 42	145	104,0	20
77HM52VA	125	Rd 52	195	235,0	10

**Vlnové kotvy - dlouhé - pozinkované**

označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
67M12WE	5	Rd 12	137	7,5	200
67M14WE	8	Rd 14	170	14,0	100
67M16WE	12	Rd 16	216	24,8	100
67M18WE	16	Rd 18	235	39,0	50
67M20WE	20	Rd 20	257	53,0	50
67M24WE	25	Rd 24	350	73,2	25
67M30WE	40	Rd 30	450	145,0	1
67M36WE	63	Rd 36	570	280,0	1
67M42WE	80	Rd 42	620	390,0	1
67M52WE	125	Rd 52	880	765,0	1

**Vlnové kotvy - dlouhé - ušlechtilá ocel**



označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
75M12VAWE	5	Rd 12	137	7,5	200
75M14VAWE	8	Rd 14	170	14,0	100
75M16VAWE	12	Rd 16	216	24,8	100
75M18VAWE	16	Rd 18	235	39,0	50
75M20VAWE	20	Rd 20	257	53,0	50
75M24VAWE	25	Rd 24	350	73,2	25
75M30VAWE	40	Rd 30	450	145,0	1
75M36VAWE	63	Rd 36	570	280,0	1
75M42VAWE	80	Rd 42	620	390,0	1
75M52VAWE	125	Rd 52	880	765,0	1

### Vlnové kotvy - krátké - pozinkované



označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
67M12K	5	Rd 12	108	6,5	200
67M14K	8	Rd 14	130	12,0	100
67M16K	12	Rd 16	167	20,5	100
67M18K	16	Rd 18	175	29,0	50
67M20K	20	Rd 20	187	40,0	50
67M24K	25	Rd 24	240	60,0	25
67M30K	40	Rd 30	300	100,0	1
67M36K	63	Rd 36	380	204,0	1
67M42K	80	Rd 42	450	300,0	1

### Distanční tělísko - motýl



označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
75M12VAK	5	Rd 12	108	6,5	200
75M14VAK	8	Rd 14	130	12,0	100
75M16VAK	12	Rd 16	167	20,5	100
75M18VAK	16	Rd 18	175	29,0	50
75M20VAK	20	Rd 20	187	40,0	50
75M24VAK	25	Rd 24	240	60,0	25
75M30VAK	40	Rd 30	300	100,0	1
75M36VAK	63	Rd 36	380	204,0	1
75M42VAK	80	Rd 42	450	300,0	1

### Lanová oka



označení	nosnost (kN)	závit	délka (mm)	hmotnost (kg/100ks)	balík (ks)
69M12	5	Rd 12	155	5,5	50
69M14	8	Rd 14	155	8,0	50
69M16	12	Rd 16	155	11,5	50
69M18	16	Rd 18	190	18,0	25
69M20	20	Rd 20	215	25,5	25
69M24	25	Rd 24	255	44,0	25
69M30	40	Rd 30	300	73,0	10
69M36	63	Rd 36	340	128,0	10
69M42	80	Rd 42	425	214,0	1
69M52	125	Rd 52	480	362,0	1

